



Production Facility Animal Health Report

AREA: **AX-4**

Report # **1109AX4**

AX-4 IS OPERATED AS A:

- Maximum Barrier
 High Barrier
 Standard Barrier

Please consult our website for descriptions of our Barrier Levels.

ORGANISMS EXCLUDED FROM ALL BARRIERS (SHIPPING STOPPED) -

If any of these organisms are found in any Production area, all shipments from the area are suspended and customers are notified.

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
VIRUSES							
Ectromelia virus	Serum	MFI	0/14	0/14	0/14	0/14	0/90
GDVII (Theiler's) virus	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Hantaan virus	Serum	ELISA	0/18	0/14	0/14	0/14	0/90
K virus	Serum	ELISA	-	0/14	-	-	0/22
Lactic dehydrogenase elevating virus	Serum	Enzyme	-	-	-	-	0/10
Lymphocytic choriomeningitis (LCMV)	Serum	ELISA	-	-	0/14	0/14	0/66
Mouse adenovirus (MAV)	Serum	ELISA	0/14	0/14	-	-	0/24
Mouse cytomegalovirus (MCMV)	Serum	MFI	0/14	0/14	0/14	0/14	0/46
Mouse hepatitis virus (MHV)	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Mouse minute virus (MMV)	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Mouse norovirus (MNV)	Serum	ELISA	0/14	0/14	0/14	0/14	0/90
Mouse parvovirus (MPV)	Serum	ELISA	0/14	0/14	0/14	0/14	0/90
Mouse thymic virus (MTV)	Serum	IFA	0/14	0/14	-	-	0/24
Pneumonia virus of mice (PVM)	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Polyoma virus	Serum	ELISA	-	0/14	-	-	0/22
Reovirus 3 (REO 3)	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Rotavirus (EDIM)	Serum	MFI	0/14	0/14	0/14	0/14	0/90
Sendai virus	Serum	MFI	0/14	0/14	0/14	0/14	0/90
BACTERIA & MYCOPLASMA							
<i>Bordetella bronchiseptica</i>	Trachea	Culture	0/14	0/14	0/14	0/14	0/26
CAR bacillus	Serum	ELISA	-	-	0/14	0/14	0/66
<i>Citrobacter rodentium</i>	Intestine or feces	Culture	0/14	0/14	0/14	0/14	0/26
<i>Clostridium piliforme</i>	Serum	ELISA	0/14	0/14	-	-	0/26
<i>Corynebacterium bovis</i>	Trachea/skin	Culture	0/14	0/14	0/14	0/14	0/26
<i>Corynebacterium kutscheri</i>	Trachea	Culture	0/14	0/14	0/14	0/14	0/26
<i>Helicobacter</i> spp.	Intestine or feces	PCR	0/06	0/06	0/06	0/06	0/24
<i>Mycoplasma pulmonis</i>	Serum	MFI	0/14	0/14	0/14	0/14	0/90
<i>Pasteurella pneumotropica</i>	Trachea	Culture	0/14	0/14	0/14	0/14	0/26
<i>Salmonella</i> spp.	Intestine or feces	Culture	0/14	0/14	0/14	0/14	0/26
<i>Streptobacillus moniliformis</i>	Trachea	Culture	0/14	0/14	0/14	0/14	0/26

The Jackson Laboratory
600 Main Street
Bar Harbor, ME 04609
1-800-422-6423

For additional details regarding our health monitoring program and shipping policy see www.jax.org/jaxmice/health

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
PARASITES & PROTOZOA							
<i>Encephalitozoon cuniculi</i>	Serum	ELISA	-	-	0/14	0/14	0/66
Fleas	Fur	Visual	0/06	0/06	0/06	0/06	0/24
Fur mites, lice	Fur	Stereoscope	0/06	0/06	0/06	0/06	0/24
Follicle mites	Subcutis	Visual	0/14	0/14	0/14	0/14	0/26
Pinworms	Cecum	Visual	0/06	0/06	0/06	0/06	0/24
Opportunistic protozoa (e.g., Giardia, Spironucleus)	Intestine	Micro	0/06	0/06	0/06	0/06	0/24
Roundworms and other helminths	Intestine	Visual	0/06	0/06	0/06	0/06	0/24
Tapeworms	Intestine	Visual	0/06	0/06	0/06	0/06	0/24

OTHER ORGANISMS MONITORED (SHIPPING NOT STOPPED) -

All of these organisms are excluded from **maximum and high barriers**, and most are excluded from **standard barrier** areas. When an excluded organism is found an investigation is undertaken to identify and eliminate all infected mice from the barrier. Positive results - including results from investigations - are noted in this report, but shipping from the area is not suspended.

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
<i>Klebsiella pneumoniae</i>	Trachea, intestine, or feces	Culture	0/14	0/14	0/14	0/14	0/26
<i>Klebsiella</i> spp. other than <i>K. pneumoniae</i>	Trachea, intestine, or feces	Culture	2/14	2/14	5/14	1/14	5/26
Nonpathogenic protozoa (e.g., Trichomonads)	Intestine	Micro	0/06	0/06	0/06	0/06	0/24
<i>Pneumocystis murina</i>	Lung	PCR	-	-	-	-	-
<i>Pseudomonas</i> spp.	Intestine or feces	Culture	0/14	0/14	0/14	0/14	0/26
<i>Staphylococcus aureus</i>	Trachea	Culture	1/14 *	1/14 *	0/14	0/14	0/26
<i>Streptococcus</i> spp.	Trachea	Culture	0/14	0/14	0/14	0/14	0/26

* A test & cull effort was initiated to eliminate this organism from this barrier. For additional information please call 207-288-6205.

James R. Fahey, MS, PhD, DVM, DACVM
Chief of Diagnostic Services

The Jackson Laboratory
600 Main Street
Bar Harbor, ME 04609
1-800-422-6423

For additional details regarding our health monitoring program and shipping policy see www.jax.org/jaxmice/health

AX-4