



Production Facility Animal Health Report

AREA: AX-7

Report # 1109AX7

AX-7 IS OPERATED AS A:

- Maximum Barrier
 High Barrier
 Standard Barrier

Please consult our website for descriptions of our Barrier Levels.

ORGANISMS EXCLUDED FROM ALL BARRIERS (SHIPPING STOPPED) -

If any of these organisms are found in any Production area, all shipments from the area are suspended and customers are notified.

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
VIRUSES							
Ectromelia virus	Serum	MFI	0/13	0/16	0/14	0/16	0/95
GDVII (Theiler's) virus	Serum	MFI	0/13	0/16	0/14	0/16	0/94
Hantaan virus	Serum	ELISA	0/13	0/16	0/14	0/16	0/95
K virus	Serum	ELISA	-	0/16	-	-	0/17
Lactic dehydrogenase elevating virus	Serum	Enzyme	-	-	-	-	0/10
Lymphocytic choriomeningitis (LCMV)	Serum	ELISA	-	-	0/14	0/16	0/78
Mouse adenovirus (MAV)	Serum	ELISA	0/13	0/16	-	-	0/47
Mouse cytomegalovirus (MCMV)	Serum	MFI	0/13	0/16	0/14	0/16	0/65
Mouse hepatitis virus (MHV)	Serum	MFI	0/13	0/16	0/14	0/16	0/95
Mouse minute virus (MMV)	Serum	MFI	0/13	0/16	0/14	0/16	0/95
Mouse norovirus (MNV)	Serum	ELISA	0/13	0/16	0/14	0/16	0/94
Mouse parvovirus (MPV)	Serum	ELISA	0/13	0/16	0/14	0/16	0/92
Mouse thymic virus (MTV)	Serum	IFA	0/13	0/16	-	-	0/29
Pneumonia virus of mice (PVM)	Serum	MFI	0/13	0/16	0/14	0/16	0/95
Polyoma virus	Serum	ELISA	-	0/16	-	-	0/17
Reovirus 3 (REO 3)	Serum	MFI	0/13	0/16	0/14	0/16	0/78
Rotavirus (EDIM)	Serum	MFI	0/13	0/16	0/14	0/16	0/93
Sendai virus	Serum	MFI	0/13	0/16	0/14	0/16	0/95
BACTERIA & MYCOPLASMA							
<i>Bordetella bronchiseptica</i>	Trachea	Culture	0/13	0/16	0/14	0/16	0/65
CAR bacillus	Serum	ELISA	-	-	0/14	0/16	0/68
<i>Citrobacter rodentium</i>	Intestine or feces	Culture	0/13	0/16	0/14	0/16	0/65
<i>Clostridium piliforme</i>	Serum	ELISA	0/13	0/16	-	-	0/47
<i>Corynebacterium bovis</i>	Trachea/skin	Culture	0/13	0/16	0/14	0/16	0/65
<i>Corynebacterium kutscheri</i>	Trachea	Culture	0/13	0/16	0/14	0/16	0/65
<i>Helicobacter</i> spp.	Intestine or feces	PCR	0/13	0/16	0/14	0/16	0/65
<i>Mycoplasma pulmonis</i>	Serum	MFI	0/13	0/16	0/14	0/16	0/95
<i>Pasteurella pneumotropica</i>	Trachea	Culture	0/13	0/16	0/14	0/16	0/65
<i>Salmonella</i> spp.	Intestine or feces	Culture	0/13	0/16	0/14	0/16	0/65
<i>Streptobacillus moniliformis</i>	Trachea	Culture	0/13	0/16	0/14	0/16	0/65

The Jackson Laboratory
600 Main Street
Bar Harbor, ME 04609
1-800-422-6423

For additional details regarding our health monitoring program and shipping policy see www.jax.org/jaxmice/health

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
PARASITES & PROTOZOA							
<i>Encephalitozoon cuniculi</i>	Serum	ELISA	-	-	0/14	0/16	0/78
Fleas	Fur	Visual	0/13	0/16	0/14	0/16	0/65
Fur mites, lice	Fur	Stereoscope	0/13	0/16	0/14	0/16	0/65
Follicle mites	Subcutis	Visual	0/13	0/16	0/14	0/16	0/65
Pinworms	Cecum	Visual	0/13	0/16	0/14	0/16	0/65
Opportunistic protozoa (e.g., Giardia, Spironucleus)	Intestine	Micro	0/13	0/16	0/14	0/16	0/65
Roundworms and other helminths	Intestine	Visual	0/13	0/16	0/14	0/16	0/65
Tapeworms	Intestine	Visual	0/13	0/16	0/14	0/16	0/65

OTHER ORGANISMS MONITORED (SHIPPING NOT STOPPED) -

All of these organisms are excluded from **maximum and high barriers**, and most are excluded from **standard barrier** areas. When an excluded organism is found an investigation is undertaken to identify and eliminate all infected mice from the barrier. Positive results - including results from investigations - are noted in this report, but shipping from the area is not suspended.

Organism	Sample Tested	Test Method	Nov 2 '09	Sep 21 '09	Aug 10 '09	Jun 29 '09	Previous 12 months
<i>Klebsiella pneumoniae</i>	Trachea, intestine, or feces	Culture	0/13	0/16	0/14	0/16	0/65
<i>Klebsiella</i> spp. other than <i>K. pneumoniae</i>	Trachea, intestine, or feces	Culture	0/13	0/16	0/14	0/16	0/65
Nonpathogenic protozoa (e.g., Trichomonads)	Intestine	Micro	0/13	0/16	0/14	0/16	0/65
<i>Pneumocystis murina</i>	Lung	PCR	0/05	0/11	-	0/06	0/03
<i>Pseudomonas</i> spp.	Intestine or feces	Culture	0/13	0/16	0/14	0/16	0/65
<i>Staphylococcus aureus</i>	Trachea	Culture	0/13	0/16	0/14	0/16	0/65
<i>Streptococcus</i> spp.	Trachea	Culture	0/13	0/16	0/14	0/16	0/65

James R. Fahey, MS, PhD, DVM, DACVM
Chief of Diagnostic Services

The Jackson Laboratory
600 Main Street
Bar Harbor, ME 04609
1-800-422-6423

For additional details regarding our health monitoring program and shipping policy see www.jax.org/jaxmice/health

AX-7